

bk Nov 8-14 1994.log

RCS file: /p/cvsroot/calliope/verilog/src/ci/ci\_digital.v,v  
Working file: calliope/verilog/src/ci/ci\_digital.v  
head: 6.48  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 48; selected revisions: 1  
description:

-----  
revision 6.48  
date: 1994/11/10 18:34:02; author: agc; state: Exp; lines: +5 -2  
additional scaling modes for accumulator  
=====

RCS file: /p/cvsroot/calliope/verilog/src/ci/ci\_file\_control.pim,v  
Working file: calliope/verilog/src/ci/ci\_file\_control.pim  
head: 43.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 43.3  
date: 1994/11/10 18:34:04; author: agc; state: Exp; lines: +20 -19  
additional scaling modes for accumulator  
=====

RCS file: /p/cvsroot/calliope/verilog/src/ci/ci\_fir.v,v  
Working file: calliope/verilog/src/ci/ci\_fir.v  
head: 6.22  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 22; selected revisions: 1  
description:

-----  
revision 6.22  
date: 1994/11/10 18:34:06; author: agc; state: Exp; lines: +8 -1  
additional scaling modes for accumulator  
=====

RCS file: /p/cvsroot/calliope/verilog/src/ci/ci\_round10x12.pim,v  
Working file: calliope/verilog/src/ci/ci\_round10x12.pim  
head: 43.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 43.2  
date: 1994/11/10 18:34:08; author: agc; state: Exp; lines: +10 -9  
additional scaling modes for accumulator

```
=====
RCS file: /p/cvsroot/calliope/verilog/src/ci/pimlib.pl,v
Working file: calliope/verilog/src/ci/pimlib.pl
head: 19.41
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 41;    selected revisions: 1
description:
-----
```

```
revision 19.41
date: 1994/11/10 18:34:11; author: agc; state: Exp; lines: +2 -1
    additional scaling modes for accumulator
=====
```

```
RCS file: /p/cvsroot/calliope/verilog/src/eq/eq.v,v
Working file: calliope/verilog/src/eq/eq.v
head: 1.29
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 29;    selected revisions: 1
description:
-----
```

```
revision 1.29
date: 1994/11/10 18:32:55; author: agc; state: Exp; lines: +15 -4
    additional accumulator scaling modes, redefines fields in device
    registers
=====
```

```
RCS file: /p/cvsroot/calliope/verilog/src/eq/eq.h,v
Working file: calliope/verilog/src/eq/eq.h
head: 1.9
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;    selected revisions: 1
description:
-----
```

```
revision 1.9
date: 1994/11/10 18:32:58; author: agc; state: Exp; lines: +5 -4
    additional accumulator scaling modes, redefines fields in device
    registers
=====
```

```
RCS file: /p/cvsroot/calliope/verilog/src/eq/pimlib.pl,v
Working file: calliope/verilog/src/eq/pimlib.pl
head: 7.32
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 32;    selected revisions: 1
description:
-----
```

bk Nov 8-14 1994.log

revision 7.32

date: 1994/11/10 18:33:00; author: agc; state: Exp; lines: +3 -1  
additional accumulator scaling modes, redefines fields in device  
registers

=====

RCS file: /p/cvsroot/calliope/verilog/src/fp/Makefile,v

working file: calliope/verilog/src/fp/Makefile

head: 1.60

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 60; selected revisions: 1

description:

local makefile

-----

revision 1.60

date: 1994/11/10 18:30:54; author: agc; state: Exp; lines: +3 -1  
support for additional accumulator scaling modes.

=====

RCS file: /p/cvsroot/calliope/verilog/src/fp/fp\_accmpy.V,v

working file: calliope/verilog/src/fp/fp\_accmpy.V

head: 1.21

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 21; selected revisions: 1

description:

four

-----

revision 1.20

date: 1994/11/10 18:30:57; author: agc; state: Exp; lines: +23 -22  
support for additional accumulator scaling modes.

=====

RCS file: /p/cvsroot/calliope/verilog/src/fp/fp\_cmac.V,v

working file: calliope/verilog/src/fp/fp\_cmac.V

head: 1.8

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 8; selected revisions: 1

description:

five

-----

revision 1.8

date: 1994/11/10 18:30:59; author: agc; state: Exp; lines: +9 -3  
support for additional accumulator scaling modes.

=====

RCS file: /p/cvsroot/calliope/verilog/src/fp/fp\_cmpy.V,v

working file: calliope/verilog/src/fp/fp\_cmpy.V

head: 1.11

branch:

locks: strict

access list:

bk Nov 8-14 1994.log

symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:  
six

-----  
revision 1.11  
date: 1994/11/10 18:31:01; author: agc; state: Exp; lines: +14 -13  
support for additional accumulator scaling modes.  
=====

RCS file: /p/cvsroot/calliope/verilog/src/fp/fp\_fft\_12.v,v  
Working file: calliope/verilog/src/fp/fp\_fft\_12.v  
head: 1.11  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:  
two

-----  
revision 1.11  
date: 1994/11/10 18:31:03; author: agc; state: Exp; lines: +3 -2  
support for additional accumulator scaling modes.  
=====

RCS file: /p/cvsroot/calliope/verilog/src/fp/fp\_mpy10x12.v,v  
Working file: calliope/verilog/src/fp/fp\_mpy10x12.v  
head: 3.8  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

-----  
revision 3.8  
date: 1994/11/10 18:31:04; author: agc; state: Exp; lines: +3 -2  
support for additional accumulator scaling modes.  
=====

RCS file: /p/cvsroot/calliope/verilog/src/fp/fp\_round10x12.v,v  
Working file: calliope/verilog/src/fp/fp\_round10x12.v  
head: 3.13  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 1  
description:

-----  
revision 3.13  
date: 1994/11/10 18:31:06; author: agc; state: Exp; lines: +20 -18  
support for additional accumulator scaling modes.  
=====

RCS file: /p/cvsroot/calliope/verilog/src/fp/fp\_round\_10.v,v  
Working file: calliope/verilog/src/fp/fp\_round\_10.v  
head: 2.4

bk Nov 8-14 1994.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4;      selected revisions: 1  
description:  
roundr

-----  
revision 2.4  
date: 1994/11/10 18:31:08; author: agc; state: Exp; lines: +13 -12  
      support for additional accumulator scaling modes.  
=====

RCS file: /p/cvsroot/calliope/verilog/src/fp/fp\_sa.v,v  
Working file: calliope/verilog/src/fp/fp\_sa.v  
head: 32.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:

-----  
revision 32.1  
date: 1994/11/10 18:31:10; author: agc; state: Exp;  
      support for additional accumulator scaling modes.  
=====

RCS file: /p/cvsroot/calliope/verilog/src/fp/fp\_ta.v,v  
Working file: calliope/verilog/src/fp/fp\_ta.v  
head: 32.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:

-----  
revision 32.1  
date: 1994/11/10 18:31:11; author: agc; state: Exp;  
      support for additional accumulator scaling modes.  
=====

RCS file: /p/cvsroot/calliope/verilog/src/fp/fp\_tmac10x12.v,v  
Working file: calliope/verilog/src/fp/fp\_tmac10x12.v  
head: 3.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6;      selected revisions: 1  
description:

-----  
revision 3.6  
date: 1994/11/10 18:31:13; author: agc; state: Exp; lines: +9 -4  
      support for additional accumulator scaling modes.  
=====

RCS file: /p/cvsroot/calliope/verilog/src/fp/pimlib.pl,v

bk Nov 8-14 1994.log  
working file: calliope/verilog/src/fp/pimlib.pl

head: 11.41  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 41; selected revisions: 1  
description:

-----  
revision 11.41  
date: 1994/11/10 18:31:15; author: agc; state: Exp; lines: +14 -2  
support for additional accumulator scaling modes.  
=====

RCS file: /p/cvsroot/calliope/verilog/src/hc/hc.ut,v  
working file: calliope/verilog/src/hc/hc.ut  
head: 40.1

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 40.1  
date: 1994/11/11 19:05:24; author: lisar; state: Exp;  
undertow file for hc debug.  
=====

RCS file: /p/cvsroot/calliope/verilog/src/pp/pp\_outgoing\_fifo\_10.v,v  
working file: calliope/verilog/src/pp/pp\_outgoing\_fifo\_10.v  
head: 1.16

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 16; selected revisions: 1  
description:  
8/10-bit data return

-----  
revision 1.16  
date: 1994/11/10 18:32:04; author: agc; state: Exp; lines: +3 -3  
adjust output packing to accept data left adjusted rather  
than right adjusted  
=====